




DISPLAYS2GO
CONNECTING PEOPLE & BRANDS WITH THE WORLD



FOLDING CHARGING STATION WITH SEATING


Assembly Instructions

SKU: CHRTBW4SB

Scan the QR code to
visit the product page.



PARTS LIST



PART	QUANTITY
A: Tabletop	1
B: Metal Plate	1
C: Table Post	1
D: Base	1
E: Crossbar	4
F: Folding Stool	4
G: Phillips head Screw	36
H: Bolt and Washer.....	8


Tools Required: Hex wrench and screwdriver multi-tool (included)

SAFETY INFORMATION


- Unit is heavy! At least 2 people required for safe assembly and transport.
- Ensure the product is assembled and installed in a way that prevents a person tripping over the power cord or the unit falling from its location.
- This product is not a toy and should not be used by children at any time. It contains small parts which can be swallowed and cause serious injury. Please ensure the packing materials are disposed of completely to prevent injury to children (such as box cuts or swallowing insulation materials).
- Do not install in an area with high temperature, high humidity or areas where the charging station may come into contact with water.
- Do not install near air conditioners, or in areas with excessive dust, smoke or vibration.
- Do not modify or alter the product in any way. Any unauthorized modification or alteration will immediately void the warranty.
- Do not use the product, or any parts, if they are damaged.
- All cables and adapters should be connected and disconnected slowly and carefully.

ASSEMBLY


1. Attach metal plate (B) to table post (C) using 4 Phillips head screws (G).




2. Straighten the base power cord out and drop it through the table post (C).
3. Attach base (D) to table post (C) using 8 Phillips head screws (G).




4. Connect the base power cord with the tabletop power cord.
5. Attach tabletop (A) to metal plate (B) with 4 Phillips head screws (G).




6. Attach all crossbars (E) to base (D) using 20 Phillips head screws (G).





7. Pull the ring on the safety latch to open each folding stool (F). Once the folding stool is open, gently press down onto the seat top to lock it into place.



8. Attach a folding stool (F) to crossbar (E), securing with bolts and washers (H) on each side of the stool. Repeat for all 4 stools.



9. Pull the power cord out from the base and plug into wall outlet.



Assembly is complete.

If you have any questions regarding our products, please visit us at www.displays2go.com or contact Displays2go customer service at 844-221-3388.