


60" Double Bar Adjustable Chrome Clothing Rack

CLRDBL60 (60" Adjustable Clothing Rack)




Version 1.0



INCLUDED HARDWARE


	4x	3/8-16 x 1.5" LONG HEX HEAD CAP SCREW		4x	5/16"-18 x .5" HEX HEAD CAP SCREW		2x	3/8-16 x 2" LONG HEX HEAD CAP SCREW
	4x	3/8" SPRING LOCK WASHER		4x	5/16" SPRING LOCK WASHER		2x	3/8" SPRING LOCK WASHER
	4x	3/8" WASHER		4x	5/16" WASHER		2x	3/8" WASHER
							4x	LEVELERS
								ALLEN KEY

1




ASSEMBLE THE LOWER CROSS BAR BY DEPRESSING THE PUSH BUTTONS AND JOINING THE COMPONENTS AS SHOWN.

2




3




ASSEMBLE THE DIAGONAL BRACE ON ONE SIDE.

4




REPEAT STEP 3 FOR THE OTHER SIDE.


5



- ASSEMBLE THE HANG BAR BY DEPRESSING THE PUSH BUTTONS ON THE MALE HALF AND INSTALL IT INTO THE FEMALE HALF.
- SLIDE HANG BAR UPRIGHTS IN PLACE.
- SECURE WITH HARDWARE AS SHOWN.
- REPEAT FOR SECOND HANG BAR.



6



DEPRESS PUSH BUTTONS AND INSTALL HANG BARS ONTO THE UNIT.