DISPLAYS2GO

User Manual

V24.02





Model: DIGART32

Description: 32" Digital Art Signage

Scan QR code to visit the product page:



Operating Instructions for Digital Art Signage

Note: Before using the product, please read the instructions carefully!

Do not attempt to disassemble this product. If the product does not work properly, please call our Customer Service Department at 1-844-221-3393.

Features	3
Safety Warnings and Precautions	3
Assembly and Connection	6
Packing List	6
Interfaces	7
Mouse	8
Description of Basic Operation	9
Power on/Standby	9
About Launch Desktop	9
Description of Wallpaper Switch	9
File Manager	10
Local Settings	10
Status of Menu bar	11
DiViEx APP Introduction	12
System requirements	12
How to upload media files	12
Settings	14
Edit picture	14
Music	16
Factory Reset	16
Screen Rotate	17
Choose System Language	17
Technical Specifications	18
Troubleshooting	20
Cleaning and Maintenance	22
Names and Contents of Toxic and Hazardous Substances or Elements in the Product	23

Contents

Features

1. Supports server/stand-alone mode switching;

2. Supports non-destructive anti-glare display technology, presenting a realistic canvas-level display effect

- 3. Supports Wi-Fi hotspot
- 4. Self-recovery from system crashes, 24/7 hours unattended;
- 5. The original Android system, can carry out product customization development,
- 6. Support for two videos to play simultaneously.
- 7. With device lock function, set electronic password to unlock.
- 8. Can convert to the stand-alone version
- 9. Multi-screen synchronization: the same content on multiple screens, the same playback progress
- 10. Screen rotation: screen rotation 90° , 180° $\,$ and 270°
- 11. Supports USB plug-in update program

Safety Warnings and Precautions

Thank you for purchasing the high-performance multi-functional LED backlight Digital Signage from Displays2Go. We have considered the factors to ensure personal safety in product design and have testedrigorously at the factory. However, improper installation and use may result in electric shock and fire.

In order to safely use, maximize performance of the unit and extend the life of the product, please read and follow all instructions carefully before using the product.

Keep the instructions for future reference.

We strongly recommend using a surge protector, or a power strip with internal circuit breaker to prevent damages to the digital signage.

Symbol Legends:

- A Warning: May cause personal injury or death
- \bigcirc The operation is prohibited
- ▲ Caution: May cause damage or property loss
- The operation must be executed

If any of the following occurs:

- Power outage or instable voltage.
- Abnormal sound or smell from the unit.
- AC power cord is damaged.
- Digital Signage is damaged due to drop, knock or impact.
- Any liquid or foreign matters fall into the enclosure.

Turn off the Digital Signage immediately, pull out the plug from the power outlet, and ask the authorized personnel for maintenance immediately.

S If coal gas or other flammable gas leaks, do not pull out the plug of the LCD Digital Signage or other electrical appliances; instead, turn off the gas valve immediately, and open the doors and windows quickly.

- ● Do not use power supply other than AC 110V, 60Hz.
 - Cut off the power supply before connecting or disconnecting any cables.
 - Do not place the Digital Signage on any instable positions, or else it may be damaged or cause fire.
 - Do not place the Digital Signage in the positions such as:
 - 1. The environment subject to direct strong sunlight, moisture, extreme temperature or too much dust;
 - 2. The environment with flammable or explosive materials;
 - 3. The environment with flammable or corrosive gases;
 - Do not use damaged or inappropriate power outlets, and ensure that the plugs and outlets contact properly.
 - Do not let dust or metal deposits adhere to the plugs and outlets.
 - Do not damage the power cords:
 - 1. Do not modify the power cords;
 - 2. Do not place heavy objects on the power cords;
 - 3. Keep the power cords away from heat source;
 - 4. Do not pull the cord to remove the plug.
 - Do not connect too many plugs to one outlet in parallel, or else it may cause fire due to excessive power consumption.
 - Do not approach the Digital Signage with open flame (e.g. a lighted candle), or else it may cause electric shock or fire.
 - Do not put any sharp objects, metal or liquid into the vents or let them touch the signal terminals to avoid short circuit, product damage, and electric shock.
 - The openings in the enclosure are designed for ventilation and cooling, to ensure long time reliable running of components inside the enclosure and prevent overheating. Do not block the openings when place the unit.

So not touch the plugs with wet fingers, or else it will cause electric shock.

Do not use the Digital Signage in stormy weather, especially when there is lightning; instead, please disconnect the power and antenna plugs to avoid lightning strike.

O not disassemble the Digital Signage without permission, or else it may cause electric shock or fire. Please ask qualified technician for repair.

- Do not let children climb onto the Digital Signage.
- Keep the small parts away from children to prevent them from swallowing.
- If the Digital Signage won't be used for a long time, please turn it off and pull out the power plug.
- To adjust the position of the Digital Signage, please disconnect all power cords and move slowly to avoid tip over.
- Do not scratch or knock the LCD with hard object, or twist and squeeze the LCD.
- Do not turn on the unit immediately when it is moved from a place with low temperature to high temperature, or else it will cause condensation and malfunction.
- Before cleaning the Digital Signage, please pull out the power plug; wipe with soft cloth; do not use industrial chemicals; prevent foreign matters from entering the machine. Improper cleaning (such as cleaning solution, water) may damage the product, erase the printed information, and even cause damage of the components if fluid flows in, resulting in machine failure.
- If the unit displays the same screen for a long time or the moving picture has fixed text or icon, it will leave ghosting on the screen and won't disappear when the unit is turned off; it is normal and isn't covered by the warranty.
- The power of the Digital Signage can be cut off by pulling out the plug.
- If the LCD screen ruptures and the liquid splashes on the skin, please rinse for 15 minutes with clean water immediately, and consult your doctor.
- To carry the Digital Signage with hands, please grab and hold the edges; do not apply pressure on the panel.
- Use the Digital Signage properly: Use in proper lighting conditions; insufficient lighting or long time watching will impair your eyesight.
- When the plug or coupler is used as disconnection device, it should be easy to operate the device.
- Insert the plug into the outlet properly, or else it may cause sparks and fire.
- The technical specifications printed herein and on the packaging are subject to change without prior notice. The Manual may be slightly different from actual operation, and the latter is applicable.

Assembly and Connection

Packing List

Name	
1 Digital Signage	•
1 Power cord	•

Name	
1 Operation Manual	•
1 Mouse	•

Note:

Contact local dealer if you have questions about the operation, debugging and connection of the unit; if the unit doesn't work normally, please cut off the power immediately and consult the dealer. The unit is class-A product, which may cause radio interference in living environment. In this case, please take feasible measures, and use power plug as the disconnection device.

Interfaces



1. DC 12V 2. RJ45 3. USB 4. USB 5. HDMI OUT 6. TF card 7. 3.5MM EARPHONE; 8. POWER SWITCH 9. POWER PLUG SOCKET

Note: Please pull out the power plug before installing or disassembling the unit!

Mouse

Installing batteries for the Mouse:

1. Open the mouse battery compartment cover and take out the Receiver (fig.1) from the mouse, then insert it to USB port of the digital art frame.

2. Insert one AA batteries (1.5V). Ensure that the battery polarity matches the "+"/"-" marks in the battery compartment of the mouse.

Precautions for using the mouse:

- Keep the mouse away from violent vibration. In addition, do not set or place the mouse in direct sunlight, or else the mouse may be deformed by heat.
- The range of mouse will be shortened if the battery voltage is insufficient; in this case, please replace with new batteries; if the mouse won't be used for a long time or the batteries are run out, please take out the batteries to avoid corrosion due to battery leakage, which will damage the mouse.
- Do not use batteries of different types or mix new batteries with old ones. Always replace the batteries in pairs.
- Do not put the batteries in fire, or charge or disassemble them, or charge, short circuit, disassemble, heat or burn used batteries. Please dispose of waste batteries in accordance with local environmental regulations. Do not expose the batteries in overheated environments such as sunlight and fire.

Description of mouse:





60 sec

No action Go into light sleep $10\,\mathrm{min}$

No action Go into deep sleep **MOUSE DETAILS**

Size: 101*63*35MM Weight: 70G APPROX Power: battery (AA 1.5V) Working distance: 10M Connection: 2.4Ghz

Wake

Move the mouse/press any key to wake up the mouse

Description of Basic Operation

Power on/Standby

Insert the power plug into the outlet. If the Digital Signage has the switch button "I", turn it on; if you press the switch button "O", the Digital Signage enters standby state.

About Launch Desktop

Description of Desktop Icons

lcon	Function
A	Home page
0	Main applications
Φ	Back
	Background applications
Q	Sound -
	Sound +
T	Screenshot



Description of Wallpaper Switch

We suggest using a mouse to change the wallpaper.

Connect a mouse with the digital panel through USB port, then follow the steps below:

- 1. click "Setting"
- 2. At the setting menu, click "Display"
- 3. At the Display setting menu, click "Gallery", or "Wallpaper"
- 4. Then select an image you would like to set up as background.
- 5. Confirm the selection by clicking "Set wallpaper".

File Manager

- 1. Click the Main Apps button " **O**" in the Home page to enter the "APPS" menu interface (Fig. 1);
- 2. Click the "FileExplorer" icon in the "APPS" menu interface (Fig. 2) and enter "FileExplorer" menu (Fig. 3);
- 3. Click options in the "FileExplorer" menu to read the files from different devices.



Local Settings

- 1. Click the Main Apps button "**O**" in the Home page to enter the "APPS" menu interface (Fig. 1)
- 2. Click the "Settings" icon in the "APPS" menu interface (Fig. 1) and enter "Wi-Fi" menu (Fig. 2);
- 3. Click options in the "Wi-Fi" menu and set up different options. (Fig. 3)



Description of Settings Interface (shown on the right)

lcon	Function
•	WIFI switch
*	Bluetooth
•••	More
•	Display
٠	Notifications
A	Home
	Sound
¥	USB
e	Apps
\$	Screenshot Setting
	Storage
	Memory
•	Location
	Memory
•	Location
	Security
	Accounts
	Languages & input
•	Backup & reset
0	Date & time
Ť	Accessibility
{ }	Developer options
()	About device
•••	Other setting

A 4		<u>ل</u> ا	17:07
	Setting		م
	Wireles	ss & networks	
	•	Wi-Fi Disconnected	
	*	Bluetooth Disabled	
		More	
	Device		
	•	Display	
	٠	Notifications All apps slowed to send	
	÷	Home	
	•	Sound Ring volume at 71%	
	ψ	USB	
	۲	Apps 16 apps installed	
	*	ScreenshotSetting	
	=	Storage 401 MB of 80 used	
		Memory Avg 504 MB of 1.9 GB memory used	
	Person	al	
	•	Location ON / Battery saving	
	â	Security	
	8	Accounts	
	۲	Languages & input English (United States)	
	٥	Backup & reset	
	System	1	
	©	Date & time GMT+08:00 China Standard Time	
	ŧ	Accessibility	
	0	Developer options	
	0	About device Android 7.1.2	
		Other Setting	
			<u>``</u>

-

DiViEx APP Introduction

System requirements:

Step 1: Before using this application, make sure your machine meets or exceeds the following system requirements:

CPU	RK3288
RAM	1GB
Operating system	Android 7.1

How to upload media files:

Step 2: Make new directory named "MediaFolder" in root directory in U disk.

Name	^	Dete modified	Туре
Media	Folder	2020/3/13 16:46	File folder

Open "MediaFolder", create 3 subfolders, and change their names to "Images", "Videos", "Music". Copy the media file to be displayed, image to "Images", video to "Videos", Music to "Music"

(F:) > MediaFolder >		
Name	Dete modified	Туре
Images	2020/3/13 16:48	File folder
Music	2020/3/13 16:51	File folder
Videos	2020/3/13 16:51	File folder

Format requirement:

Image	JPG/JPEG/BMP/PNG
Video	MPEG1/MPEG2/MPEG4/H.264/H.265/WMV/MKV/TS/flv
Music	AAC/MP3/AMR/OGG/PCM

Step 3: Plug in the USB drive into the device and click the DiViEx App to open it.



Step 4: When the screen shows "Copy finished" after "USB Disk:",



Settings:

Step 1: Select the time you would like each picture to be on the screen for by dragging the bar to the desired time. Select how you would like the images to display. Select the desired transition effect between pictures.

• Auto Boot

If enable, application will auto boot when android system boot

Auto Play

If enable, application will show all resource including images $\$ videos

• Choose Picture display mode "Adapt", "Center", "Reshaped by the original size", "Set Image center adaptation display"

• Set Picture switch mode

During the image conversion process, there are 10 animations: "Normal", "Depth", "Zoom"," Cubeln", "ForegroundToBackground", "Flip3D", "FilpHorizontal", "RotateDown", "Accordion, Stack".



Edit picture:

All pictures will be shown on the left. Pick the one you would like to make changes.

• Edit picture

Drag the corner and edge handles around the image to specify the boundaries of your picture.

• Filter

Set different filter for the picture, we support the following filter: AUTO_FIX, BLACK_WHITE, BRIGHTNESS, CONTRAST, CROSS_PROCESS, DOCUMENTARY, DUE_TONE, FILL_LIGHT, FISH_EYE, FLIP_HORIZONTAL, FILP_VERTICAL, GRAIN, GRAY_SCALE, LOMISH, NEGATIVE, PSTERIZE, ROTATE, SATURATE, SEPIA, SHARPEN, TEMPERATURE, TINT, VIGNETTE.

Reset

Revert to the original image.

Download " Zana "

It will save as a new picture when you click download button at the right corner.



• Image deletion

Click "S" to delete unwanted pictures



Music:

List all music files int Playlist library

• Add music to playing list music from Playlist library, you can click right arrow, music title will show the number of playlist music.

Playlist library		Playing list music	
	•		
	•		
	•		

• To remove background music from the playlist, click the left arrow in the playlist



Factory Reset:

- 1. Get into Settings, then click "Backup & reset" (Fig. 1)
- 2. Click "Factory data reset" (Fig. 2)
- 3. Choose "Erase SD card", then click "RESET DEVICE" to get the unit to Factory Reset (Fig. 3)



Fig. 1



Screen Rotate:

1. Click the Main Apps button "**O**" in the Home page to enter the "APPS" menu interface (Fig. 1)

2. Click the "Settings" icon in the "APPS" menu interface (Fig. 1) and enter "Display" menu (Fig. 2);

3. Click options in the "Main screen rotation angle" menu and set up different options. After the restart, the screen will be rotated (Fig. 3)

1				2021-10-21 15:34	= Display		Display	
$\left \right\rangle$					Brightness level		Brightness level	
	Browser	Camera	Chrome	Contacts	Sleep Never		Sizes	
					Nover Wallpapers		Tener Walipapers	
				_	Font size		Port size	
			\bigcirc		Default			
	DIVIEX		FileExplorer	Gallery	Screen density 160		Serven denaty 100	
					Cent		Cest	
				0	HEMI		HOME	
	U				Main screen rotation angle 270		Main screen rotation angle 278	
			Play Store	Power OnOff	Extern screen rotation angle Keep the same acress as the main		Entern soreen rotation angle Keep the terms streen at the mean	
					Second screen full display	•	Second screen full display	
1	O				Camera Rotation Keep the same acress as the system		Centers Rotation. Keep the serve scener as the antern	
	Settings	Sound Recorder	Video		Front Camera Mirror not mirror		Front Came Main screen rotation angle	
	N				Back Camera Mirror		Back Came 0 90	
					renor		0 181	
					Hide Navigation Bar		14de Navig © 270 Swige Navi	
					swipe reavigation bar		Gwyde Par	
					Hide Top Status Bar	0	Hide Top Status Bar	
				/ / · · · · · · ·				
		K						
			C)	ē:	Q 4 0 0 Q	<u>ت</u>	¢) <1 O □ ()	67

Fig. 1



Fig. 3

Choose System Language:

- 1. Get into Settings, then click "Language & input" (Fig. 1)
- 2. Click "Languages". (Fig. 2)
- 3. Then you can set up different language options. (Fig. 3)

← Settings	۹	≡ Languages & input		Languages
Wireless & networks		Lenguages English (sinted States)		Afrikaans
WA-FI Deconnected		Spell checker Android Spell Checker (ACSP)		Azərbaycan dili
8 Blaetooth Deathed		Personal dictionary		Bahosa Melayu
More		Keyboard and input methods		Bosanski
Device		Virtual keyboard		Català
Display		Physical keyboard Speech		Čežína
Notifications All apps allowed to send		speech Test to speech output		Danak
A Home		Mouse/Inscipud		Deutsch (Deutschland)
Sound Ring volume at 21%		Pointer speed		Deutsch (Liechtenstein)
ψ usa		Hide softkeyboard		Deutsch (Osterreich)
Apps To app installed				Deutsch (Schweiz)
16 apps installed ScreenshotSetting				Eest
				English (Australia)
401 MB of BG Land				English (Canada)
Memory Avg 564 MB of 1.9 CB memory used				English (India)
Personal Location				English (New Zasland)
Location ON/ Battery seeing				English (Lingapore)
🔒 Security				English (Jinhed Kingdom)
Accounts				English (United States)
Languages & input Erglah (united States)				English (KA)
a Backup & more				Español (España)
System				Español (Estados Unidos)
Oute & time OMF+0ED0 Chine Standard Time				Euskara
* Accessibility				Filipino
() Developer options				Français (Belgique)
About device Address?1.2				Français (Canada)
- Abardon 7.1.2				Français (France)
	621	0 4 0 0 0		
5 7 0 U	023	0 4 0 0 0	61	

Technical Specifications

	ITEM	SPECIFICATION			
	LCD size	32″			
	Light source	LED backlight			
	Resolution	1920*1080 (pixels)			
	Brightness (typ.)/(min)	350cd/m ² (typ.)			
	Contrast (typ.)	2000:1 (typ.)			
	Response (ms)	8s (typ.)			
Panel	Refresh rate	60Hz			
	Viewing angle	178° (H)/178° (V)			
	Color saturation	72%			
	Viewable area	698.7mm (H) $ imes$ 393.1mm (V)			
	Chromaticness	262K			
Power supply	Voltage	100V~240V, 50-60Hz			
	Power Consumption	≤50W			
	Operating temperature (°C)	0~40°C			
	Storage temperature (°C)	-10~60°C			
Environment	Storage humidity	10~60% RH Non-condensing			
	Operating humidity	20~80% RH Non-condensing			
	Maximum operating time (hrs/day)	24 hours			
	Operating system	Android 7.1			
	Processor	RK3288, quad-core			
	RAM	1G			
Functions	Built-in memory	16G			
	Decoding resolution	1080P UHD compatible			
	Playback mode	Support loop, inter-cut, timer, shim, etc.			
	Touch support	NA			

	Supported Video Files	AVI, MPEG4, WMV, MKV, FLV, MP4, MOV			
Functions	Supported Photo Files	JPG, JPEG, BMP, PNG, GIF			
	Audio output, supported files	Left and right audio channel, MP3			
	RTC (real-time clock)	Yes			
	Schedule power on/off	Yes			
	System update	USB compatible			
	App installation	Support download and installation			
	TF	*1			
	Ethernet (RJ45)	*1			
I/O interfaces	HDMI OUT	*1			
	VGA	N/A			
	Headset	N/A			
	USB	2			
	SIM	N/A			
Structure	Net weight	22kg			
	Gross weight	25kg			
	Unit dimensions (W*D*H)	475*73*780mm			
	Package dimensions (W*D*H)	590mm*140 *880mm			
	Shell material	Wood/sheet metal			
	Shell color	burlywood/Black/walnut			
Language	OSD	English/Simplified Chinese			

	Troubleshooting the Digital Signs – LDU32M						
	Issue	Probable Cause	Solutions				
•	No picture or sound	 Unit not plugged into wall outlet Power cord not properly connected to the terminal on the back of the unit. Unit not powered on Wall outlet not working 	 Check that the unit is plugged into wall outlet. Confirm that the power cord is connected to the terminal on the back of the unit. Turn the on/off toggle switch located on the back of the unit, lower center, to the "on" position. Unplug unit, wait 20 seconds, plug unit back into outlet and try again. Make sure that outlet is working by plugging in a different electrical device. If all of the above have been checked and the issue is not resolved, contact a customer service representative. 				
	No sound (but picture is working)	 Content/Video does not have sound. Content format is not compatible. Speakers do not work. 	 Confirm content is one of the following compatible formats: AVI, MPEG4, WMV, MKV, flv, MP3, MP4, MOV. If unit is connected to Wi-Fi, go to YouTube and play video that has sound Unplug unit, wait 20 seconds, plug unit back into outlet and try again. Try playing the content on a different device (smart phone, computer or tablet) If all of the above have been checked and the issue is not resolved, contact a customer service representative. 				
	No picture (but sound is working)	 Content file damaged. Content format is not compatible. Screen damaged or defective. 	 Confirm content is one of the following compatible formats: AVI, MPEG4, WMV, MKV, flv, MP3, MP4, MOV. Try playing the content on a different device (smart phone, computer or tablet) Unplug unit, wait 20 seconds, plug unit back into outlet and try again. If all of the above have been checked and the issue is not resolved, contact a customer service representative. 				
	Mouse not working	 Batteries not inserted properly. Batteries are dead. Standing too far from the unit. 	 Check that battery is inserted properly with positive and negative orientation. Insert new batteries. Stand within 10M of the front of the unit. If all of the above have been checked and the issue is not resolved, contact a customer service representative. 				

 No Wi-Fi signal 	 Wi-Fi is not turned on in product settings. Wi-Fi is not connected to a network Low or no signal from the router Antenna is missing or not pointed upward. Damaged PC board 	 Check that Wi-Fi is turned on in settings Click the settings icon from the Android home screen. Click "Wi-Fi". Click the on/off icon in the upper right hand corner to turn on Wi-Fi. Click the on/off icon in the upper left hand side. Then select your Wi-Fi network Confirm that the antenna is in place and pointed upward. Check that other devices are receiving the signal. If other devices are not receiving the Wi-Fi signal, please contact your
Darts missing or	Parts missed during	 internet service provider. Unplug or reset the router and wait for 20 seconds. Restart the router and check. If all of the above have been checked and the issue is not resolved, contact a customer service representative. Contact a customer service representative.
 Parts missing or Damaged 	 manufacturing. (No charge for replacements) Parts lost or damaged by the customer. (There is charge for replacements) 	Contact a customer service representative.
 Having problems with installing software or getting content to play 	 Did you purchase the DisplayIt!Xpress software from Displays2go? Did the customer purchase or downloaded another 3rd party software onto the product? 	 If you purchased DisplayIt!Xpress software from Displays2go or from Best Wave directly, please contact Best Wave at support@bestwave.com or (480)368-8900 ext. 2 If you purchased or downloaded another 3rd party software onto the product, please contact the 3rd party software company's customer support for assistance.
 Cannot upload content 	 Content format is not compatible. Content files are too large. Port being used is defective App being used to play content is defective. Android board is defective. 	 Confirm content is one of the following compatible formats: AVI, MPEG4, WMV, MKV, flv, MP3, MP4, MOV. Confirm file size is less than available space. If all of the above have been checked and the issue is not resolved, contact a customer service representative.
 Issues using pre-installed apps 	 Mistake in storing content to NAND Flash (shown on pg. 11) 	 Υ DiViEx App steps Explorer > Select USB > Select Multi > highlight files > Editor > Select

App is defective	Copy > Home > NAND > MediaFolder >
Android board is defective.	Images> Editor > Paste
	 Open DiViEx app and select desired
	trasitions, slide time and looping >
	Play
	1 MX Player steps > Follow same steps as DiViEx
	App > MediaFolder > Video > Editor > Paste.
	 Open MX Player and select video to
	play.
	 Loop video: While the video is
	playing, click on the video and there
	should be 3 dots in the top right
	corner. Click on the 3 dots > play >
	check desired Loop option
	1 If all of the above have been checked and
	the issue is not resolved, contact a customer
	service representative.

Cleaning and Maintenance

- 1. Avoid strong vibration or impact on the product.
- 2. Keep the product dry to avoid possible damage by moisture.
- 3. Don't place the product under direct sunlight which may shorten the service life of the screen.
- 4. Clean screen and product by using a glass cleaner.
- 5. If the product will not be used for a long time, pull out the power cord to prevent the internal short circuit or other potential dangers.

Names and Contents of Toxic and Hazardous Substancesor Elements in the Product

Part name	Toxic and hazardous substances or elements					
	Pb	Hg	Cd	Cr ⁶⁺	PBB	PBDE
Display		О	О	О	О	О
Shell	0	О	0	О	×	×
Circuit board assembly *		0	0	О	О	О
Wires	0	0	0	О	О	О
Metal parts	0	0	0	0	0	О
Packaging materials*	0	0	0	0	0	О
Mouse		О	0	0	0	О
Speaker		О	0	0	0	О
Accessories*	0	О	0	0	0	О

* : Circuit board assembly includes PCB and the electronic elements thereof;

Packaging materials include packaging box, styrofoam, etc.;

Other accessories include instruction manual.

 ${\rm O}$: the content of the toxic and hazardous substances or elements in the part is lower than the limit specified in GB/T 26572-2011 standard.

 \times : the content of the toxic and hazardous substances or elements in the part is higher than the limit specified in GB/T 26572-2011 standard.

The table shows that the machine contains harmful substances inside. The data is provided by material suppliers and verified by the company according to the material type. Some materials contain harmful substances that can't be replaced in present technology. We are dedicated to improving this.

The EFUP of the product is ten years. The pollution control label is shown on the right.

The EFUP is valid only when the user operates in the normal conditions specified in the manual herein.

Waste Electrical and Electronic Products Recycling and Disposal Regulations

To protect the earth, if you do not need this product or its service life expires, please abide by your local **Waste Electrical and Electronic Products Recycling and Disposal Regulations** or send it to qualified local manufacture for recycling.

This Manual is for reference only and is subject to change without prior notice.