



## 10' Trade Show Booth Kit with Backwall, Arch, and Convertible Podium

### Assembly Instructions

SKU: EX10CB001 Exhibit Booth

SKU: EX001RPNT Booth Replacement Graphics

Scan the QR  
code to visit the  
product page.



## Safety & Care Information


Before beginning assembly, please take time to read through the instructions and understand each step thoroughly. Displays2go is not responsible for any personal injury or product damage due to mishandling, incorrect mounting, incorrect assembly or incorrect use of this product.

- ⚠ Wear the included gloves to protect your hands during assembly!
- ⚠ The weight capacity of the convertible countertop is 22lbs.
- ⚠ The monitor bracket is recommended for use with monitors 30"-40" wide and weighing less than 40lbs.
  - Supported VESA sizes: 75x75mm, 100x100mm

## Fabric Graphic Care Instructions

Machine wash with cold water on a gentle cycle using a mild detergent. Do not use bleach. Tumble dry on low. Fabric must be completely dry prior to storing. Use a steamer to reduce wrinkles and fold lines after the graphic is on the frame.

## Components



Aluminum Frame (x1)



3D Aluminum Frame (x1)



Arch Frame (x1)



Monitor Mounting Kit (x1)



Convertible Case/Counter (x1)






LED Light (x1)



Custom Fabric  
Graphic (x4)

## Backwall Assembly


1. Unfold and expand the aluminum frame poles, securing the push-buttons.
2. Connect all aluminum poles to assemble the frame, following the numbered stickers.
3. Press in the push button to connect each pole.
4. Before adding the metal feet, pull the fabric graphic over the frame and zipper it closed over the bottom bar.
5. Attach the metal feet to the frame.



⚠ **NOTE:** To disconnect poles, push the pole forward slightly to loosen push buttons.


## 3D Backwall Assembly

1. Connect all aluminum poles to assemble the frame, following the numbered stickers.
2. Twist in the horizontal support bars.
3. Pull the fabric graphic over the frame and zipper closed over the bottom bar.




## Arch Assembly

1. Connect all aluminum poles to assemble the frame, following the numbered stickers.
2. Twist in the horizontal support bars.
3. Before attaching the metal feet, pull the fabric graphic over the frame and zipper closed over the bottom bar.
4. Connect the arch to the horizontal bars of the 3D backwall.
5. Attach the metal feet to the frame.



## VESA Bracket Installation

1. Mount the bracket to the holes of the TV stand using the included screws.
2. Use spacers and washers to fit the bracket to fit the VESA arms to your monitor. Secure with the included screws.
3. Carefully hang your monitor onto the bracket. Tighten the lower bolts to secure the bracket in place.



## Storage Case to Counter Conversion

The hard storage case also converts to a pop-up counter.

1. Place the half of the case with the wheels on the ground.
2. Twist the 4 support poles into the holes on the lower case.
3. Lower the top case onto the poles.
4. Place the tabletop onto the case with the lip facing up.
5. Slide the custom fabric graphic over the entire counter.



## Overhead LED Light Installation

Clamp the LED light to the top bar of the backwall. Tighten the knob to secure.



# Assembly is complete.

If you have any questions regarding our products, please visit us at [www.displays2go.com](http://www.displays2go.com) or contact Displays2go customer service at 800-572-2194.