



20' Trade Show Booth Kit with Angled Backwalls, Shelves, and Convertible Podiums

Assembly Instructions

SKU: EX20CB223 Exhibit Booth

SKU: EX223RPRT Booth Replacement Graphics

Scan the QR code to visit the product page.



Safety & Care Information


Before beginning assembly, please take time to read through the instructions and understand each step thoroughly. Displays2go is not responsible for any personal injury or product damage due to mishandling, incorrect mounting, incorrect assembly or incorrect use of this product.

- ⚠ Wear the included gloves to protect your hands during assembly!
- ⚠ The weight capacity of the convertible countertop is 22lbs.
- ⚠ The monitor bracket is recommended for use with monitors 30"-40" wide and weighing less than 40lbs.
 - Supported VESA sizes: 75x75mm, 100x100mm

Fabric Graphic Care Instructions

Machine wash with cold water on a gentle cycle using a mild detergent. Do not use bleach. Tumble dry on low. Fabric must be completely dry prior to storing. Use a steamer to reduce wrinkles and fold lines after the graphic is on the frame.

Components



Angled Aluminum Frame (x2)



Curved Aluminum Frame (x1)



TV Stand (x1)



Monitor Mounting Kit (x1)



Convertible Case/Counter (x2)




LED Light (x4)



Custom Fabric Graphic (x6)

Angled Backwall Assembly


1. Unfold and expand the aluminum frame poles, securing the push-buttons.
2. Connect all aluminum poles to assemble the frame, following the numbered stickers.
3. Press in the push button to connect each pole.
4. Before adding the metal feet, pull the fabric graphic over the frame and zipper it closed over the bottom bar.
5. Attach the metal feet to the frame.



⚠ **NOTE:** To disconnect poles, push the pole forward slightly to loosen push buttons.


Curved Backwall Assembly

1. Connect all aluminum poles to assemble the frame, following the numbered stickers. Twist in the horizontal support bar.
2. Before adding the metal feet, pull the fabric graphic over the frame and zipper closed over the bottom bar.
3. Attach the metal feet to the frame.




TV Stand Assembly

1. Assemble the counter, base, and vertical support poles. Slide the fabric graphic onto the front 2 poles.
2. Place the lower bar of the backwall frame against the lip of the base.
3. Use screws to attach the TV hold and backwall together at the corresponding holes. Adjust the fabric graphic as necessary to align cutouts on the fabric.



VESA Bracket Installation

1. Mount the bracket to the holes of the TV stand using the included screws.
2. Use spacers and washers to fit the bracket to fit the VESA arms to your monitor. Secure with the included screws.
3. Carefully hang your monitor onto the bracket. Tighten the lower bolts to secure the bracket in place.



Storage Case to Counter Conversion

The hard storage case also converts to a pop-up counter.

1. Place the half of the case with the wheels on the ground.
2. Twist the 4 support poles into the holes on the lower case.
3. Lower the top case onto the poles.
4. Place the felt tabletop onto the case with the lip facing up.
5. Slide the custom fabric graphic over the entire counter.



Overhead LED Light Installation

Clamp the LED lights to the top bar of the backwall. Tighten the knob to secure.



Assembly is complete.

If you have any questions regarding our products, please visit us at www.displays2go.com or contact Displays2go customer service at 844-221-3388.