




SKU: FGOBSTK, FGOBEXK

# OUTDOOR BARRIER STARTER KIT

*Assembly Instructions*



# DISPLAYS2GO

CONNECTING PEOPLE & BRANDS WITH THE WORLD


# STARTER KIT PARTS LIST

<b>PART</b>	<b>QUANTITY</b>
A: Signage Post.....	2
B: Washer .....	2
C: Wing Screw.....	2
D: Base .....	2
E: Custom Graphic Signage .....	3
F: Shaped Signage Frame .....	2
G: Barrier Signage Frame.....	1

NOTE: Signage Frames are packaged in component pieces. See step 2 for assembly instructions.

NOTE: Part quantities may vary, depending on model purchased.





1. Attach signage post to base in center hole, using wing screw and washer. Repeat this step for both bases.




2. Slide shape frame together by matching numbered labels together. Depress button and slide shape frame pieces together.



3, Repeat step 2 for barrier signage.



3. Slip signage over frames of shape signage and barrier signage, then zip signage closed to attach to the frame.
4. Attach signage to the base by sliding bottom of frame into the appropriate location: shaped signage will attach to signage post (step 1) and barrier will slot into hole on base.



5. Fill bases with water or sand. Each base unit can hold 23L / 6 gallons.

*Enjoy your new outdoor shaped  
signage & barrier!*



Scan QR code to visit product page.

If you have any questions regarding our products, please visit us at [www.displays2go.com](http://www.displays2go.com) or contact D2G customer service at 844-221-3388.