



# Retractable Stanchion Banner with Custom Graphics


SKU RBQPU1CP Retractable Banner with 1-Sided Banner SKU RBQPU2CP Retractable Banner with 2-Sided Banner SKU RBQP1CP Replacement Custom 1-Sided Banner SKU RBQP2CP Replacement Custom 2-Sided Banner




#### PARTS LIST









A. Stanchion Topper (2)

B. Retractable Banner Scroller (1)

C. Replacement Graphic (Optional Accessory)

## **Assembly**

- 1. Align the slot of the stanchion topper (A) with your stanchion's belt. Extend the stanchion belt a few inches, then slide the topper onto the stanchion. Repeat on the other stanchion.
- 2. Connect both sides of the scroller (B) to the stanchion toppers. Push to secure.






- 3. Applying even tension, pull to extend the banner down to the floor.
- 4. Connect the bottom bar to each stanchion.



### Retracting The Banner

- ⚠ Warning! The banner will retract quickly. Firmly grip the bottom of the banner to avoid potential injury.
- 1. Press and hold down the button on the right side of the scroller.
- 2. Slightly tug the banner out to activate the retraction mechanism.
- 3. Allow the banner to slowly retract into the base while holding down the button. Keep a secure grip on the banner.
- 4. Once retracted, release button.



## Installing a Replacement Banner

- ① Caution! When replacing the banner, do not let the fabric leader retract into the scroller! Product will be rendered unusable.
- 1. Firmly extend the retractable banner scoller (B) to expose the top connective fabric.
- 2. Connect the plastic seal along the top of the replacement graphic (C) into the sealer of the banner scroller. Firmly press along the entire sealer to secure.
- 3. Slide the plastic footer of the banner into the channel of the bottom bar.



