



DISPLAYS2GO
CONNECTING PEOPLE & BRANDS WITH THE WORLD

ROUND SILVER FLOOR DISPLAY CASE

Assembly Instructions


SKU: RD209O0SV



Scan the QR
code to visit the
product page.




Packing List



PART	QUANTITY
A: Back Panel	1
B: Door Panel	1
C: Side Panels	2
D: Adjustable Rods	4
E: Dust Seal	4
F: Base	1
G: Top	1
H: Glass Shelves	4
I: Mirror Base	1
J: Screws	4
K: Door Hinge	1
L: Lock with Key	1
M: Allen Wrench.....	1


CAUTION: At least 2 people required for assembly!

Fig. 1




1. Identify the base and top and lay flat on the floor. Add dust seals to each of the glass panels.

Fig. 2




2. Assemble show case by inserting glass side panels and back panel into base. Have at least one person hold the panels steady while screwing the adjustable rods into holes of base.

Fig. 3




3. Place top onto showcase, fitting the glass panels into the top channel. Screw the adjustable rods into the holes on the top. (FIG.B)

Fig. 4




4. Screw from the top to adjust the rods. (FIG.C).

Fig. 5




5. Adjust the shelf holders of the rods to the desired height (FIG.D) and then add the shelves. Add the mirrored shelf to the base.

Fig. 6




6. Attach the hinge (FIG.E) and the lock (FIG.F) to the door. Put the bottom hinge into the base's hole and insert the door into the upper hinge (FIG.G) fixing it with proper screws. Two persons are required for this final operation. Adjust the door and then secure it.

SIDE SPOTLIGHT UPON REQUEST (art. 4/LT9)



At point 4 remember to insert the electric wire before fixing the rod.



Unfasten the screws, insert the spot light's rod into the proper hole and then fasten it.



**Assembly is
complete.**

CONTACT INFORMATION:

www.displays2go.com

PHONE: 844-221-3388