




DISPLAYS2GO
CONNECTING PEOPLE & BRANDS WITH THE WORLD

STANCHION CART




SKU: STCT18


Assembly Instructions

PARTS LIST

Scan QR code to visit
product page.




(A) Side Frames
2 PCS




(B) Base
1 PC




(C) Stabilizing Bars
12 PCS



(D) Panel
1 PC



(E) Casters
4 PCS



(F) Long Screw
12 PCS



(G) Screws
24 PCS



(H) Allen Wrench
1 PC



(I) Washers
30 PCS

NOTES




- 2-3 people recommended for assembly.
- Do not let children climb on cart.

If you have any questions regarding our products, please visit us at www.displays2go.com or contact Displays2go customer service at 844-221-3388.

1. Assemble Base

Flip base (B) onto its side. Attach the casters (E) to the underside of the base using long screws (F) and washers (I).

Note: The 2 casters with locks should be on the same side of the base.



2. Attach Side Frames

While base is on its side, line up side frame (A) with screw holes. The inner frame should be facing inwards (see enlarged).

Insert long screws (F) through the underside of the base up through the side panels. Secure with washers.

Do not fully tighten screws until the end of the assembly process.

Repeat on the other side.

2. Attach Bottom Panel


Align panel (D) with screw holes on base and side frames. Secure with long screws on all 3 sides, securing with a washer.

3. Attach Stabilizing Bars

Stand the unit up. **Note:** We recommend 2 people for this step.

Attach each stabilizing bar using short screws (G). The inner frame of the bar should be facing inwards (see figure below). Secure each screw with washer.

Note: Only 6 bars are needed to stabilize the unit. The optional bars (shown in red below) may be attached for added security.



4. Tighten all screws using allen wrench (H).

Assembly is complete!

If you have any questions regarding our products, please visit us at www.displays2go.com or contact Displays2go customer service at 844-221-3388.