



**DISPLAYS2GO**  
CONNECTING PEOPLE & BRANDS WITH THE WORLD

# DOUBLE-SIDED ACRYLIC SIGN STAND WITH LITERATURE HOLDERS

## Assembly Instructions

SKU: TLSTBLKS1P

V2.0



Scan the QR  
code to visit the  
product page.




Components

| PART                              | QUANTITY |
|-----------------------------------|----------|
| A: Body Panel.....                | 1        |
| B: Base .....                     | 1        |
| C: Acrylic Literature Holder..... | 2        |
| D: Acrylic Faceplate .....        | 2        |
| E: Large Hex Wrench.....          | 1        |
| F: Small Hex Wrench .....         | 1        |
| G: Large Washer.....              | 2        |
| H: Threaded Post.....             | 4        |
| I: Plastic Cap .....              | 8        |
| J: Plastic Washer .....           | 12       |
| K: Hex Screw.....                 | 4        |
| L: Black Screw Cover.....         | 4        |
| M: Spare Plastic Divider.....     | 2        |

ⓘ NOTE: Included crosshead screws and plastic anchors will not be used during assembly.

Assembly

- 1. Remove the 2 hex screws from the bottom of the body panel (A) using large hex wrench (E).
- 2. Add large washers (G) to the removed screws, then insert through base (B) into the body panel. Tighten with hex wrench.



3. Attach literature holder (C) using small hex screws (K) and plastic washers (J). Tighten with small hex wrench (F).
4. Repeat on other literature holder.

ⓘ **NOTE:** If both literature holders will not be used, cover screw holes with black screw covers (L).



5. Add a plastic cap (I) and plastic washer (J) to one side of each threaded post (H).
6. Peel blue protective film off of acrylic faceplates (D).
7. Orient faceplate to align with the upper 2 sets of screw holes on body panel. Place your graphic behind the faceplate.
8. Insert capped post through the faceplate into the body panel until rods protrude on the other side.
9. Place your graphic on the other side of the panel, then place other faceplate over protruding posts.
10. Add the plastic washers and 4 remaining caps to the threaded posts to secure the faceplate.

**Assembly is complete.**



If you have any questions regarding our products, please visit us at [www.displays2go.com](http://www.displays2go.com) or contact Displays2go customer service at 844-221-3388.