



DISPLAYS2GO

CONNECTING PEOPLE & BRANDS WITH THE WORLD

Public Health Safeguard

AUTOMATIC INDUCTION HAND SANITIZER



Non-contact, More hygienic

Two-way sensor, 5cm infrared sensing distance, sensitive and fast




High quality motor, free from worries

One million induction tests, no leakage and more durable



Multi compatible and strong

Three models - alcohol, gel, and foam. good compatibility and comprehensive



Parameters:

Sensing Method	Infrared auto-sensing
Sensing Distance	Sensing distance is adjustable by hand gesture
Response Time	0.3 seconds
Power Supply	4 D-size(1.5V) batteries
Battery Lifespan	This unit will dispense 10,000 times before requiring new batteries
Switch	Switch keys
Installation mode	Independent assembly, easy to replace and clean
5L Liquid capacity	5000ml
Liquid pump	Foam/Spray/Gel
Spraying volume	About 1ml (Spray)
Opening method	Open with safety key
Liquid Replacement Method	Manual open cover to replace liquid
Shell material	Environmental ABS materials
Product size	40.4*26*12.2cm
Carton Size	1 piece/ carton 47.5*31.8*16cm
Gross weight per carton	2.42kgs/ctn

Non-contact, More Hygienic

Two-way sensor, 5cm infrared sensing distance, sensitive and fast



5cm infrared sensing distance



Fast




Sensitive



High Quality Motor Free From Worries

It adopts high-quality and efficient motor, nearly one million induction tests, precise liquid output without leakage, easy to deal with occasions with large crowd, lasting and more durable.



6000 rpm
High Speed

10000+
Service Life

High Performance
Pump Head

Three Options Of Outlet Interchange Freely

Alcohol, gel, foam three models available

Know your needs, know you better



Alcohol



Gel



Foam

ABS Material, Can Be Used For 10+ Years

It is made of thick ABS material, which has good rigidity and impact resistance, corrosion resistance, heat resistance and deformation resistance. It has good oxidation resistance and is more durable.



High Rigidity



Oxidation Resistance



Impact Resistance



Corrosion Resistance



Two Grades Of Liquid Output Better Understand Your Needs

According to different situation and users, there are two levels of liquid output to adjust, better fulfill your requirements.



5L Large Capacity Without Frequent Replacement



IP56 Waterproof Design

Easy to apply in humid and water vapor environment



Use Scenario



Product Description

