



## User Manual: LED String Lights

SKU: LEDWPSL50, LEDWPSL100

**WARNING:** When using outdoors basic safety precautions should always be followed to reduce the risk of fire,electric shock and personal injury. Install in accordance with these instructions and current electrical codes such as the National Electric Code(NEC)


When used outdoors in Wet Locations,Ground Fault Circuit Interrupter protection(GFCI) is to be provided on the circuits or outlets. The receptacle cover should always be in place to prevent the entry of water(unless a plug is inserted)

### Product Parameters:

Number of lamp holder	15 or customizable
Color Number	12 Colors Choose From
Programs Number	9 Programs, more than 20 models for different application scenarios
Control Distance	8-10 Meters

If you have any questions regarding our products, please visit us at [www.displays2go.com](http://www.displays2go.com) or contact D2G customer service at 844-221-3388.

Input /Output Voltage	120V (12V/1A)
Outdoor /Indoor use	Yes
Product Power	4w/7.5w
Cable Color	Black
Package	Neutral Packing. Personalized packaging can be customized according to customer requirements.



## RF REMOTE

**Strobe:** One color as the main color for most bulbs. Another color appears at random on the rest of the bulbs. Press the button to change color. Total of six programs. The program's colors are: mainly red and sky blue in the rest of the bulbs;

If you have any questions regarding our products, please visit us at [www.displays2go.com](http://www.displays2go.com) or contact D2G customer service at 844-221-3388.

mainly green and purple in the rest of the bulbs; mainly blue and yellow in the rest of bulbs; mainly yellow and blue in the rest of the bulbs; mainly sky blue and red in the rest of the bulbs; mainly purple and green in the rest of the bulbs. These are listed in order.

**Fade:** The string light will change the color one by one every several seconds. The program's colors are red, orange, yellow, green, sky blue, dark blue, purple, and pink, in order. A total of eight colors in this program.

**Twinkle:** The string light will flash a single color three times as one round. After three rounds, it will change into the next color. The colors are white, purple, sky blue, yellow, dark blue, green, and red, in order. A total of seven colors.

**Breath:** The string light will flash three breaths as one round. After three rounds, program changes to another color. The program's colors are red, blue, yellow, sky blue, purple, and white, in order. A total of six colors.

**Chaser:** Several colors appear at the same time as a snake, then flash like a forward snake. Press the button to change to other color combinations. A total of six programs. Three programs are one color chase: red, green, and dark blue, in order. The other three programs are different colors chase. These colors are sky blue, red, purple, green, and red, yellow, green, purple, white, and sky blue, in order.

**Random:** This will change the color randomly.


**RGBW Flash:** One color, as the main color, flashes regularly for all bulbs. You can press the button to change the color. Seven colors are available: red, green, dark blue, yellow, purple, sky blue, and white, in order.

Voice: The string light will perceive any voice or music and will flashes automatically, based on your voice or music. It's your dance partner!

Reminder: When you have selected a single color light, you can press the speed button to adjust the brightness. When you are playing the program-functional buttons, like strobe, fade, etc., you can press the speed button to adjust the frequency of flashes, or voice and music, to meet your requirements for the speed or brightness of all buttons.

## INSTALLATION METHODS:

### I. Using a Guide Wire with S-hooks or zip ties(not included)



If you have any questions regarding our products, please visit us at [www.displays2go.com](http://www.displays2go.com) or contact D2G customer service at 844-221-3388.

## How to install:

① Screw existing lamps by holding the socket in one hand and twisting the lamp clockwise. Lamps may be tight in the sockets.



② Lace with a medium base lamp. Screw the bulb into the socket clockwise until top of the socket forms a tight seal around the bulb and the bulb makes solid contact with the socket.



**Caution:**

**Risk of Electric Shock.** (Avoid making connections or disconnections when the equipment is wet. Do not submerge. Keep lamps at least 16 feet from pools and spas. Keep receptacles dry).

(1) Light sockets must be installed so that bulbs are facing down only. See below.



(2) Not intended for installation in ceilings, sofas, cabinets, or other enclosed spaces.

If you have any questions regarding our products, please visit us at [www.displays2go.com](http://www.displays2go.com) or contact D2G customer service at 844-221-3388.



(3) Keep bulbs from combustible material. Do NOT allow lamps or sockets to come into contact with fabrics associated with shades, blinds, or other materials. The bulbs must be at least 3 inches away from the nearest object.

(4) Do not cluster the bulbs.

(5) Disconnect power at source prior to wiring, re-lamping, or servicing in anyway.



Scan QR code to visit product page