4. Adjustment



Depending on the weight of the display, it may be necessary to make adjustments to the Ball Joint Mechanism.



Adjust to the desired position or tilt.

Maintenance

- Check that the bracket is secure and safe to use at regular intervals(at least every three months).
 Please contact your distributor if you have any questions.

Vertical Table Stand





CAUTION: DO NOT EXCEED RATED LISTED WEIGHT. SERIOUS INJURY OR PROPERTY DAMAGE MAY OCCUR!



NOTE: Read the entire instruction manual before you start installation and assembly.

- Do not begin the installation until you have read and understood all the instructions and warnings contained in this installation sheet. If you have any questions regarding any of the instructions or warnings, please contact your local distributor.
- This mounting bracket was designed to be installed and utilised ONLY as specified in this manual. Improper installation of this product may cause damage or serious injury.
- Make sure that the supporting surface will safely support the combined weight of the equipment and all attached hardware and components.
- Tighten screws firmly, but do not over tighten. Over tightening can damage the items, greatly reducing their holding power.
- This product is intended for indoor use only. Using this product outdoors could lead to product failure and personal injury.
- This product is a free standing. pole mount solution for multiple displays.

Component Checklist







2. Installing the VESA Plates







Screw the VESA plate onto the display.

Tighten all screws but do not over tighten.

3. Installing the Displays





Lift your display carefully and hook the VESA plate onto the mounted head.

Tighten all screws using 4mm Allen key.