Table of Contents

Wall Mount Pole – PPLNOUTRIG	1
Straight Hanging Bar – 1PLNHNGRBK	3
Spoked Hanging Bar – 1PLNSPKBLK	5
Shelf – 1PLNSHVBRN/1PLNSHVNAT	6
Configurations – PPLN12NATL/PPLN12BRWN	7
Configurations – 2PPLN32NAT/2PPLN32BRN	8
Configurations – 2PPLN4HNGR	9
Configurations – 3PPLN52NAT/3PPLN52BRN	10
Configurations – PPLN4SHNAT/PPLN4SHBRN	11


To build configurations, see pages 7-11 for references on which parts to use.




Wall Mount Pole - PPLNOUTRIG

PARTS LI A. Moun B. Top U C. Botto D. Stud /	ting Bar pright m Upright		X2 X1 X1 X6	
A			<u> </u>	
В			V	
	•	•		
) (·		
O				

picture below. Be sure the openings on top and bottom face the same direction.




Step 1. Screw Part B with Part C as shown in the **Step 2.** Thread (2) Part A into the assembled upright. Be sure (2) Part A face the same direction. Twist to tighten all legs fully.





Wall Mount Pole - PPLNOUTRIG (cont.)


Step 3. There are 10 holes on the backside of the Wall Mount Pole. See picture below. Choose desired hole locations to create your configurations.




NOTE: Finish assembling all pipeline parts before proceeding to Step 4.

Step 4. Move the assembled configuration to the wall, with mouting plate on Part A attach to the wall. Mark all drill locations through the holes on mounting plates. Drill holes for Stud Anchor (Part D).

Place the anchor in the mounting plate and drive into the corresponding hole until the washer and the nut are tight against mounting plate. Tighten




Straight Hanging Bar - 1PLNHNGRBK



Step 1. Connect Part A with (2) Part C at both ends as shown below. Then thread (2) Part B into Part C. Be sure (2) Part B facing the same direction. Twist to tighten all pipes fully.




Step 2. Attach the assembled Hanging Bar in Step 1 to (2) Wall Mount Pole (PPLNOUTRIG) at desired height. Align holes on rectangle plates with holes on Wall Mount Pole. Screw in all provided screws (Part E) on both sides with Hex Key (Part F)





Straight Hanging Bar - 1PLNHNGRBK (Cont.)


To build a long straight hanging bar for a configuration that has more than one section, simply connect the ends of (2) Hanging Bar (Part A) with Tee Fitting (Part D), and (1) Mounting Bar (Part B) at the other end of the Tee Fitting. See picture below. Follow Step 1 and 2 to finish the assembly.



NOTE: 1. Must have 2 or more 1PLNHNGRBK to build a long straight cross hanging bar.

2. Use similar method to build a long spoked hanging bar by assembling (2) Spoked Hanging Bar - 1PLNSPKBLK.

To build a configuration that has (2) Straight Hanging Bars that are not on the same level, use different holes (See Page 2)on top of the Wall Mount Pole to prevent (2) Straight Hanging Bars interfering with each other. See picture below.




NOTE: The pipeline clothing rack configurations can be customized to create multiple styles by applying elements at different places. Customize your own clothing rack to fit your needs and make it unique.




Spoked Hanging Bar - 1PLNSPKBLK

		<u> </u>
PARTS LIST		
A. Hanging Bar	X1	
B. Mounting Bar	X2	
C. Spoke Bar	X2	
D. Elbow Fitting	X2	
E. Tee Fitting	X1	
F. Flat Head Socket Screw	X4	
G. Hex Key	X1	
i e		

Step 1. Connect (2) Part D to Part A at both ends as shown below. Then thread (2) Part B into (2) Part D. Be sure (2) Part B facing the same direction. Connect (2) Part C to Part A at (2) Tee Fitting in the middle of Part A. Twist to tighten all pipes fully.



Step 2. Attach the assembled Hanging Bar in *Step 1* to (2) Wall Mount Pole (PPLNOUTRIG) at desired height. Align holes on rectangle plates with holes on Wall Mount Pole. Screw in all provided screws (Part F) on both sides with Hex Key (Part G).




NOTE: See Page 3 for how to build a long staight across spoked hanging bar

Shelf - 1PLNSHVBRN, 1PLNSHVNAT

PARTS LIST		A		4	\mathbf{B}
A. Wooden Shelf	X2			7	
B. Bracket	X2				•
C. Socket Screw	X4				
D. Stud Anchor	X2	- 0		_	
E. Hex Key	X1				
					7.

Step 1. Fix one bracket (Part B) to the wall mount pole (PPLNOUTRIG) using (2) socket screws (Part C). Do it for the other side, tighten all screws.


Step 2. Attach the whole clothing rack to wall with all other assembled parts necessary to build your configurations first. Mark (2) drill location Through pre-drilled holes on brackets for Part D, drill holes then fix (2) brackets onto the wall by tightening hex nuts.




Stud Dia: 8mm
Drill Size: 8mm

Step 3. Place one wooden shelf (Part A) at the bottom of the brackets with the hooks sitting on top of the support bars. Place the other wooden shelf at the top of the brackets.

NOTE: The distance between the two hooks on one end is bigger than the other (see left below). In configurations that have 2 shelves side by side, hooks on different shelves can sit on the same support bar.








Configurations - PPLN12NATL, PPLN12BRWN

PPLN12NATL PPLN12BRWN




PPLN12NATL (Natural Stained shelves) includes:

- (1) 2PLNOUTRIG
- (1) 1PLNSHVNAT
- (1) 1PLNSPKBLK


PPLN12BRWN (Dark brown stained shelves) includes:

- (1) 2PLNOUTRIG
- (1) 1PLNSHVBRN
- (1) 1PLNSPKBLK


Step 1. Assemble Wall Mount Pole and Spoked Hanging Bar. See instructions of each single item for details.




Step 2. Fix spoked hanging bar and shelf brackets on to two poles with provided screws. Tighten all screws.



Step 3. Attach the assembled rack to the wall. Mark drill locations through holes on mounting plates. Drill holes, then fix the rack with stud anchors. (See Page 2 for drill size)



Step 4. Place (2) wooden shelves onto brackets with hooks hanging on support bars.




NOTE: 1. Refer to Pages 1-6 to assemble each respective individual part.

2. The pipeline clothing rack configurations can be customized to create multiple styles by applying elements at different places.



Configurations - 2PPLN32NAT, 2PPLN32BRN



NOTE: 1. Refer to Pages 1-6 to assemble each respective individual part.


2. The pipeline clothing rack configurations can be customized to create multiple styles by applying elements at different places.





Configurations - 2PPLN4HNGR

2PPLN4HNGR



2PPLN4HNGR includes:

- (1) PPLNOUTRIG
- (1) 2PLNOUTRIG
- (4) 1PLNHNGRBK


NOTE: 1. Refer to Pages 1-6 to assemble each respective individual part.

2. The pipeline clothing rack configurations can be customized to create multiple styles by applying elements at different places.





Configurations - 3PPLN52NAT, 3PPLN52BRN



NOTE: 1. Refer to Pages 1-6 to assemble each respective individual part.


2. The pipeline clothing rack configurations can be customized to create multiple styles by applying elements at different places.





Configurations - PPLN4SHNAT, PPLN4SHBRN

PPLN4SHNAT PPLN4SHBRN



PPLN4SHNAT (Natural stained shelves) includes:

- (1) 2PLNOUTRIG
- (2) 1PLNSHVNAT

PPLN4SHBRN (Dark brown stained shelves) includes:

- (1) 2PLNOUTRIG
- (2) 1PLNSHVBRN

NOTE: 1. Refer to Pages 1-6 to assemble each respective individual part.

2. The pipeline clothing rack configurations can be customized to create multiple styles by applying elements at different places.

