

Pop Up Display Assembly Instructions



Remove the frame from the included carrying case and set on the floor to begin set up.



Raise until the frame is in its fully upright position.



Connect all of the hooks in the frame as shown above. This will keep your frame from collapsing. If you find it easier, you can also lay the frame on the ground to do this step.

Note: When breaking down your frame, you MUST make sure all of the hooks are unclapsed. If you try to collapse your frame when even some of the hooks are still together, you risk breaking the frame.



Now attach your graphics to the frame; this is easiest done by laying the frame down on the ground. Your graphics come with Velcro® receptive strips sewn to the back edges that connect to the Velcro® strips on the frame. If you are installing graphics with printed end caps, wrap the fabric around to the Velcro® strips located on the sides of the frame. See picture above right.



After your graphics are installed you can add the optional floodlights. Lights can only be installed at the intersection of two horizontal frame poles. Make sure the channels on the bottom of the clip are seated on the poles and are firmly snapped into place. After the clip is attached to the frame, slide the light onto the channels in the clip. See picture above left.



Graphics Care: Your graphics can be spot cleaned with mild soap and warm water. A product like "Spray and Wash" may be used for spot cleaning as well. Be gentle as scrubbing may damage the graphic or fabric. We also recommend trying the spot cleaner on a small location in the corner before using on larger areas. **DO NOT DRY CLEAN!**