













































<div> <div>Instruction of TVJT225TB2 Wall fixed installation</div> <div> <div>1.Product Features</div> <div>TVJT225TB2 Product weight:16kg; TV size support:32-63"; Maximum load:40kg; For VESA standard: 400x400mm 600x400mm</div> <div>2.Hardware List</div> <div>Important: We are not responsible for any personal injury or product damage due to mishandling, incorrect mounting, incorrect assembly or incorrect use of this product.</div> <div>Caution: This LCD/Plasma wall mount is intended for use with television that does not exceed the maximum weight capacity designated. Using this mount with products heavier than the maximum weight indicated may result in instability causing possible injury.</div> </div> </div>				12		Rear Wheel	x2
				13		glass shelf	x1
				14		DVD shelf	x1
				15		A connection plat	x1
				16		Aluminum alloy cover plate	x1
				17		Projector tray	x1
				18		Long locking bar	x2
				19		Locking bar	x2
				20		A short locking bar	x2
				21		tube	x2
				22		The locking block	x1
				22		The locking block	x1
				A		M12x80mm Cross round screw	x2
				B		M8x75mm Cross round screw	x4
				C		M8X16 carriage Bolts	x4
				D		M8 Nut	x8
				E		M6x12mm Cross round screw	x10
				F		M6x12mm flat machine screw	x2
				G		Φ16x50mm Hollow tube	x2
				H		M5X12 Truss head Screw	x4
				I		M5 Nut	x4
				J		Φ6 washer	x10
Screw spare parts list							
No.	Description	Specifications Model	Qty.				
1		Panel 1	x1				
2		Arm	x2				
3		Bar	x1				
4		pedestal 1	x2				
5		Plastic cover 1	x1				
6		Plastic cover 2	x2				
7		Plastic cover 3	x2				
8		inner screw thread tube	x1				
9		TV connection plate	x1				
10		Base positioning sheet	x2				
11		Front Wheel	x2				


No.	Description	Specifications Model	Qty.
K		Φ8 washer	x8
L		Φ12 washer	x2
M		M8x16mm Cross round screw	x4
N		M6x20mm Cross round screw	x4
O		Φ6plastic spacer	x4
P		Washer	x4
Q		Wrench	x1
R		12 Nut	x4
S		M6x16mm Cross round screw	x1
T		M6x10mm Cross round screw	x4

Instruction of installation operation

1




2




Fixed the pedestal to the inner screw thread tube with the bolt(B), washer(K)and screw nut (D) with the bolt(A),washer(L)

3




Plastic shell covering the inner screw thread tube 1.2.3

4




Screw(H) and nut(I) hold the glass frame and DVD frame

5




7




1 Fixed the panel to the inner screw thread tube with the bolt(C), washer(K) and screw nut(D),

9




Hang the TV & arms on the mount

6



8



Using Long bolt(MorN), washer(P) and Spacer (O) to mount TV set to the aluminum siding.

10

